ISBN: 978-1-63248-191-7 DOI: 10.15224/978-1-63248-191-7-19

Maximization of net farm income through optimal allocation of water and land resources

Ajay Singh*

*Agricultural and Food Engineering Department, Indian Institute of Technology Kharagpur, West Bengal, INDIA, 721302; Phones: +91-3222-281335(O), +91-9434706472(M);Fax: +91-3222-255303:

Good quality land and water resources are restricted, and they are getting debased. Farming production should be expanded by utilizing such debased resources for giving food to the developing worldwide populace, which is required to increment by another two billion individuals prior to leveling off at about 9.8 billion in 2050. This worldwide populace increment needs over sixty percent more food by then. This objective could be accomplished by either extending farming in new regions or expanding production per unit territory of accessible soil and water resources, nonetheless, because of urbanization and a hesitance to upset natural habitats. Furthermore, the agricultural sector's water allocation will diminish on the grounds that it will likely expand water need for industrial and other uses. For example, in India, the water allocation for agriculture will decline from the current eighty-three percent to about sixty-nine percent by 2050. Moreover, climate alteration effects and lessening water quality because of the pollution of diverse water sources additionally restrict the water accessibility. It is vital to optimize the accessible land and water resources to realize utmost agricultural returns along these lines. The ideal allocation of resources can be accomplished by utilizing an optimization model. These models analyze different soil and water resource blends and select an ideal mix dependent on set limitations. Considering the previous research appraisal and the current requirement as referenced over, this investigation details and applies a linear programming model for the ideal assignment of accessible resources to boost net agricultural income in an irrigated region of India. The model outcomes reveal a decrease in rice, gram, and mustard cultivation aligned with an expansion in wheat, sorghum, and millets. The yearly income from the study region expanded by about twenty-one percent under the ideal allocation. The farmers and partners involved in the real farming activities are recommended to utilize groundwater and surface water conjunctively to augment agricultural income. This procedure would likewise alleviate the hydrological imbalances without introducing expensive drainage frameworks that are not reasonable as groundwater quality is low, and drain-leachate may cause a severe removal issue. The formulated model could be utilized as a dependable decision support for taking the local and territorial level decisions of ideal water and land allocation and could tackle agricultural systems' irrigation-instigated ecological issues.

